

RFP FOR THE SUPPLY OF PERSONAL PROTECTIVE E

Items have been split into 2 (two) categories (2 sheets in

CATEGC

ITEM NUMBER	UNIT OF MEASURE	DESCR
1	EACH	DISPOSABLE EARPLUGS
2	PER PACKET(100)	DISPOSABLE EARPLUGS(LOW I FOR DISI
3	EACH	Ultrafit Corded earplugs seal recover
4	PAIR	EARMUFFS DECIBEL 26 DB V FEATU
5	PAIR	TIG WELDING CHROME LEATH Welding Tan dyed pigskin pre Gun

5	PAIR	Keystone Shirred and sewn Cotton Colour
6	PAIR	WHITE COTTON String Knitted Cotton Glove, 35% F Natural Bleached white Washable Seamless Wor
7	PAIR	Pigskin Candy Leather Palm Fabric (Candy) Ba thumb, back, knuckle, pull & tips. lined, cotton drill candy back, shirred glove is designed for gen
8	PAIR	PVC ACID RESIST Glove Colour yellow 18mil (0.45r rubber glove,
9	PAIR	NITRILE CHEMICAL GLOVES,G Green Nitrile unsupporte Micro flock lin 33cm Wash

		Resistance to K: Soc L: Sulphuric Acid 9 Straigl
10	PAIR	FLEX NITRILE BLUE Oil-resistant. Abrasion-resistant. E material handling, assembly Fully coated with a smooth blue ni with a second sandy on the palms and fingers, gi
11	PAIR	White Coatskin Glove (Ladies) Pr and fingertips; spandex back for fle mobility and comfort; goatskin sta with shirred c
12	PAIR	NITRILE FOAM 15G blended : 100% Nitrile Mi Innovati Knitted wris
13	PAIR	Yellow Latex K

13	PAIR	FIBRE LATEX
14	PAIR	<p>INDUSTRIAL CUT RESISTANT 2 Ply Fibre Material, 3" wide sleeve & cut resistant yellow sleeve with resistance offering great protection Yellow</p>
15	PAIR	<p>Industrial Canvas Sleeve Resistant/shavings Arm Protector Grey Colour</p>
16	PAIR	HEAT RESISTANT GLC
		Natural Goatski

17	PAIR	Economy Spit cowhide leather Cut, Straight Thumb, Elastic cuff edge to designate size - Large* Brown, XL* Blue. P Colour
18	PAIR	PVC Medium Weight Elbow Length usa
19	PAIR	LINED WELD Weld 2.5 GR Superior Wrist Len Welding Glo Fully v Green dyed 2.5 inch cow split leather cuff abrasion r High cut r
20	PAIR	CHROME LEATHER Welding Yoke worn over workers o protects the welder's chest and shou violet rays from reaching any expos spark and flame ret

21	PAIR	LASERSPEC CLEAR UNCOATED LENS WITH BL ANTI- ANTI-SC HIGH RESISTANCE LOW ENER POLYCARBC OPTICAL CE EN 166 ,
22	PAIR	GRINDING AND CUTTING INI POLYCARBONATE MATERIAL A FOG LENS,ADJUSTIBLE STRAP A CHEEK & BROW
23	EACH	WELDER'S HELMET WITH AL MATERIAL, BLACK ,LOCKING HEADGEAR; FIXED FRONT.HEIK FOR INDIVIDUAL FIT & COMFOR ALLOW FOR MULTIPLE A
24	EA	HELMET, SAFETY; TYPE HARD COLOR ORANGE, MATERIAL HI FEATURES COMPLETE WITH VI SUPPLY WITH FLEXABLE PLAST FOAM EAR PROTECTION MUFFS FOR HORTICULTURE USE; HE ADJUSTABLE TO
25	EACH (box of 20's)	WELDING MASI Durable, disposable welding respira against dust, mist and metal fume use against w Flame retardant material minimi Soft inner face seal ring i Carbon layer providing protection nuisance le
26	PAIR	RESPIRATOR Gas And Vap Twin Filte

27	BOX (Pack of 20)	Cartridge & Filter Retainer holds 1 60xx gas vapour filter to provide c protection to
28	BOX (Pack of 100)	Pre Filter, Type: P3 (white), Material / Fabrication, Siz
29	EACH	DOUBLE GAS MASK PROTE CHEMICAL RES
30	EACH	COTTON WE Flame Retardant PRODUCT CATEGORY Flan PRODUCT MATERIAL Flame re FABRIC WEI COMPLIANCE 1 COLOI SIZE One si SPECIAL FEATURE 1 Proc
31	BOX (Pack of 20's)	BUCKLE STRAP RESPIRATOR (PROTECTION AGAINST HIGHER AND MET
32	BOX (Pack of Ten's)	FFP2 RESPIRATOR WITH VA Half Face Seal and T Dolomite Val Non Reusak

33	BOX (Pack of 20)	Particulate Filter 2138, GP2/GP Vapour/Acid Standards/Approvals Compl
34	BOX (Pack of 20)	PROTECTIVE DISPC With a durable, collapse resistar lightweight, twin strap design featu for a comfortable, secure fit acro
35	EACH	SINGLE PLASTIC FILTER CANI
36	EACH	SCAFFOLDING BODY HARNESS (DUAL V TYPE WEBBING LANYA AND SHOCK /
37	EACH	PVC POLYAPRON 35" X 45

38	EACH	<p>WELDING CHROME LEATHER APRON WITH BIB AND STRAP(60</p> <p>Leather apron with bib and reinforcement for welding. Waterproof Chrome leather resistant to acids and oils. Should offer protection against grinding and cutting. Conforms to</p>
39	EACH	<p>WELDING CHROME LEATHER APRON WITH BIB AND STRAP(60</p> <p>Leather apron with bib and reinforcement for welding. Waterproof Chrome leather resistant to acids and oils. Should offer protection against grinding and cutting. Conforms to</p>
40	PAIR	<p>META GUARD PLASTIC COMPOSITE SAFETY BOOTS</p> <p>For protection for your safety boots</p>
41	EACH	<p>ELASTICATED</p> <p>Breathable Outlast® fleece lining</p> <p>Velcro® fasteners</p> <p>Elasticated ankle</p> <p>Outer Material</p> <p>100% polyester</p> <p>Lining</p> <p>100% polyester</p> <ul style="list-style-type: none"> • Size: X • Colour:

Bidders must fill out the YELLOW shaded blocks **ONLY** with the required information. Bidders are warned not to make any changes to this document but provide

NOTE : **The signatory of this document hereby acknowl**

Designation : _____

Signature _____ (must be duly authorised)


EQUIPMENT AND SAFETY WEAR FOR DENEL SOC (Reg. NO) AS AND WHEN REQUIRED BASIS FOR A PERIOD

ANNEXURE A: PRICING SCHEDULE

(in this document). Bidders may choose to quote on a specific category only but must quote on each

DRY 2 PRICING SCHEDULE - SAFETY PROTECTION AND

DO NOT MODIFY THESE COLUMNS

DESCRIPTION	IMAGE	ESTIMATED QUANTITY ITEM PER YEAR
EARPLUG DISPENSER.		2 (GR) Only
POLYURETHANE FOAM) REFILL DISPENSER.		600 (GR) Only
the ear canal with soft, slow-ly foam		150 (GR) & 200 (OMC) = 350
WITH ADJUSTABLE VOLUME RES.		100 (GR) & 50 (OMC) = 150
HEAVY DUTY GLOVES.Tig Pigskin Leather Working Glove Premium grade leather Safety cut		150 (OMC) Only

e thumb
with Syntax thread
ound cuff
ir Tan



150 (OMC) Only

H/DUTY GLOVES
Polyester and 65% Cotton, Colour
Glove with Elastic Knit Wrist. Plain
kwear Gloves.



150 (OMC) Only

y Stripe Glove



400 (OMC) Only

ick Glove. Pig split leather palm,
Gunn cut, wing thumb half cotton
d with a 7cm cotton safety cuff. This
eral handling operations.

STANT GLOVES
nm) flock lined household 30cm
Elbow length



120 (GR) & 150 (OMC) = 270

REEN COLOUR, 200 CUFF MM
d 15 mil (0.38mm) thick
ed for comfort
length
nable



300 (GR) & 250 (OMC) =550

Sodium Hydroxide 40%
96% J: n-Heptane
Height cuff



COATED GLOVES

Excellent Grip. Recommended for
work, small parts or wiring.
Nitrile coating to the elasticated cuff,
foam nitrile coating
providing great grip and dexterity,



350 (GR) & 500 (OMC) = 850

Premium white goatskin leather palm
flexibility and fit; keystone thumb for
soft after getting wet; open cuff
elastic back.



100 (OMC) Only

PALM GLOVE.
Spandex liner
Micro Foam finish
Kevlar fibre
fit. Colour??



200 (GR) & 600 (OMC) = 800

Nitrile gloves



30 (GR)

antwrist gloves



50 (GR)

RESISTANT SLEEVES

, High Performance seamless Heat
th thumb hole. ANSI level 4 cut
from cut and slash injuries. Colour
low



80 (GR) & 20 (OMC) = 100

Polyethylene / Cotton Cut
16" One size elastic at both ends -
Colour,



100 (GR) Only

ELBOW LENGTH



100 (GR) Only

in leather glove

in leather glove

ier on palm and back, Gunn
Shirred back, Colour coded
Small*Red, Meduim*Green,
olyester stitching material.
r Gray



800 (GR) & 100 OMC = 900

i Glove 35cm, Colour Brown (for oil
ge)



150 (GR) & 150 (OMC) = 300

ING GLOVES
gth Green Lined Leather Weltd
res.Gunn cut
welted
split leather
High
esistance
esistance



300 (GR) & 150 (OMC) =550

R WELDING YORK
verall or normal working clothes, to
ulder as well as arms from any ultra
sed skin. Made from split cow hide,
ardant. Colour Grey







55 (OMC) only

<p>SAFETY GLASSES CLEAR BLACK TEMPLES ANTI-FOG RATCHET ADJUSTMENT FOR ROBUSTNESS HIGH IMPACT MONOCULAR LENS CLASS 1 APPROVED</p>		<p>600 (GR) & 200 (OMC) = 700</p>
<p>INDUSTRIAL GOGGLES, WITH CLEAR AND CLEAR COLOR LENS, ANTI UV PROTECTION EXTENDED / PROTECTION.</p>		<p>10 (OMC) only</p>
<p>BLACK, THERMOPLASTIC RATCHET ADJUSTMENT FOR HEIGHT ADJUSTMENT ON CROWN RATCHET. ADJUSTING SIDE TILT NUTS RATCHET ADJUSTMENT PRESSURE</p>		<p>5 (GR) & 5 (OMC) = 10</p>
<p>HAT, SIZE ONE SIZE FITS ALL, HIGH DENSITY POLYETHYLENE, VISOR AND EARMUFF BRACKET, PLASTIC MATERIAL ARM, SYNTHETIC LINING AND ALUMINIUM GAUSE VISOR HEIGHT AND CIRCUMFERENCE SIZE SANS 1404</p>		<p>20 (OMC) Only</p>
<p>BLACK RESPIRATOR Hygienic respiratory protection filters and resist clogging for extended welding fumes. Reducing the effect of welding splatter Improving wearer comfort Protection against ozone gas and relief from welding odours</p>		<p>250 (Gear Ratio) & 200 (OMC) = 450</p>
<p>BLACK CARTRIDGE Four Cartridge per Design</p>		<p>60 (G R) & 70 (OMC) = 130</p>

<p>the P3R particulate filter onto the combination particle gas / vapour to the wearer</p>		<p>5 (GR) & 50 (OMC) = 55</p>
<p>Material: Polypropylene, Metal Production Size: 3.4H & L4.2</p>		<p>2 (GR) & 3 (OMC) = 5</p>
<p>SECTION FILTER HALF FACE PIRATOR MASK</p>		<p>40 (GR) & 50 (OMC) = 90</p>
<p>WELDING CAP Cotton Clothing, Flame Retardant Cotton Clothing TYPE Caps Flame Retardant 100% cotton GHT 9 oz/yd² ASTM D6413-10 Color Blue Size fits most Protect head, ears, and neck</p>		<p>50 (OMC) Only</p>
<p>(UNVALVED) FFP3 - RESPIRATORY LEVELS OF FINE DUSTS, MISTS, AND FUME</p>		<p>1200 (GR) & 100 (OMC) = 1300</p>
<p>VALVE FOR WELDING FUMES Elastic Straps Not Tested Unvalved Single Moulded</p>		<p>200 (GR) & 200 (OMC) = 400</p>

<p>3, with Nuisance Level Organic Gas Relief Complies with AS/NZS 1716:2012</p>		<p>10 (OMC) only</p>
<p>DISPOSABLE DUST MASK With an inner shell and convex shape, features a nose clip and soft nose foam to suit a broad range of face sizes.</p>		<p>10 (OMC) only</p>
<p>REPLACEMENT FILTER FOR FULL FACE MASK.</p>		<p>40 (GR) & 15 (OMC) = 55</p>
<p>3 POINT SAFETY HARNESS WITH DOUBLE LANDYARD. STANDARD WITH TWO SAFETY HOOKS (SHOCK ABSORBERS)</p>		<p>4 (GR) Only</p>
<p>100% (Heavy duty, Acid resistant)</p>		<p>100 (GR) Only</p>

<p>APRON COMPLETE WITH BUCKLE 1200MM X 900MM) Buckle strap attachment, suitable for this apron ideal for working with fluids resistant against sparks and heat from welding, complies with SABS Standards.Colour Grey</p>		<p>10 (GR) & 10 (OMC) = 20</p>
<p>APRON COMPLETE WITH BUCKLE 1200MM X 1200MM) Buckle strap attachment, suitable for this apron ideal for working with fluids resistant against sparks and heat from welding, complies with SABS Standards.Colour Grey</p>		<p>10 (GR) & 10 (OMC) = 20</p>
<p>LEATHER SHOE PROTECTOR to wear over shoes while grinding or welding.</p>		<p>20 (GR) & 50 (OMC) = 70</p>
<p>KIDNEY BELT. Polyester material on the back with fastener and inserts Material: Polyamide Lining: Polyester Sizes: S - 2XL Color: Black</p>		<p>10 (GR) & 20 (OMC) = 30</p>

Required information. Failure to complete this document correctly may result in disqualification of the information as required

edges that they have quoted according to all Specification and Quality S

Date : _____

Company stamp :

OF THREE (3) YEARS. ("THE CONTRACT PERIOD").



each item in the category to be eligible for consideration.



OTHERS

SIZES	PRICE PER UNIT	TOTAL PRICE
59.7cm (L) x 17.1cm (W) x 21.6cm (D)		
One size		
One size		
One size		
Medium		
Large		

Large		
X Large		
Small		
Medium		
Large		
Small		
Medium		
Large		
One size		
6		
7		
8		

9		
10		
7		
8		
9		
10		
11		
Small		
Medium		
Large		
6		
7		
8		
9		
10		
11		
One size		

One size		
One size		
One size		
One size		
6		

7		
8		
9		
10		
11		
Small		
Medium		
Large		
X Large		
2X Large		
3X Large		
Small		
Medium		
Large		
X Large		
2X Large		
3X Large		
Small		
Medium		
Large		
X Large		
2X Large		
3X Large		

Regular Size		
Regular Size		
Regular Size		
Regular Size		
Medium - Large		
One size		

H4" , L 8.5" , W4.5"		
3.4H & L4.2		
Large / Medium		
One size		
One size		
Medium - Large		

One size		
One size		
One size		
One size		
35MM x 45MM		

60MM X900mm		
600MM x 1200MM		
One size		
Small		
Medium		
Large		
X Large		
2X Large		
3X Large		
TOTAL		

squalification from the RFP process.

standards as identified in the above items.





